



# **Module List Standard Safety**

## **Appendix to Certificate No.: 01/205/5212.02/22**

### **ACOPOSremote**

Date: March 14, 2022

We reserve the right to change the content of this manual without prior notice. The information contained herein is believed to be accurate as of the date of publication, however, B&R makes no warranty, expressed or implied, with regards to the products or the documentation contained within this document. B&R shall not be liable in the event of incidental or consequential damages in connection with or arising from the furnishing, performance or use of these products. The software names, hardware names and trademarks used in this document are registered by the respective companies.

## I Versions

Version	Date	Comment	Edited by
1.0	24.08.2011	First edition	Stefan Pointner
2.0	09.12.2011	Second edition New Inverter Modules added Hybrid cable added	Stefan Pointner
3.0	12.01.2012	Third edition Length of Hybrid cable limited to 30m	Stefan Pointner
4.0	11.02.2015	Renamed: ACOPOSmulti65 → ACOPOSremote Update of HW revisions Update of listed devices Update version of user's manual	Rupert Posch
5.0	03.04.2018	Update of HW revisions Update of listed devices	Sonja Heindl
6.0	03.04.2018	Update version of user's manual	Sonja Heindl
7.0	14.03.2022	Renewal of certificate, based on report EZ 356.09/21 / certificate 01/205/5212.02/22	Winfried Hasenberg

Table 1: Versions

## II Table of Contents

<b>1 Motivation.....</b>	<b>3</b>
<b>2 Overview of the devices.....</b>	<b>3</b>
<b>3 Release .....</b>	<b>3</b>

## 1 Motivation

The devices to be listed on the ACOPOSremote safe pulse disabling certificate must be specified.

## 2 Overview of the devices

Following devices are part of the certification:

Cons. Nr.	Product Type	Description	Hardware Revision		Software Revision	
			From	To		
1	8CVI045S1HCS0.00-1	ACPm65 VWRM 4,5A HV CS SinCos	Rev. A9	Rev. I0	- <sup>1</sup>	- <sup>1</sup>
2	8CVI045H1HCS0.00-1	ACPm65 VWRM 4,5A HV CS Hiperface	Rev. A5	Rev. I0	- <sup>1</sup>	- <sup>1</sup>
3	8CVI045E1HCS0.00-1	ACPm65 VWRM 4,5A HV CS EnDat 2.1	Rev. A5	Rev. I0	- <sup>1</sup>	- <sup>1</sup>
4	8CVE28000HC00.00-1	ACPm65/ACPm65m connection box	Rev. A7	Rev. D0	- <sup>1</sup>	- <sup>1</sup>
5	8CCHXXXX.11110-0*	Hybrid cable	-	-	-	-
6	8CCHXXXX.11120-0*	Hybrid cable (8BVE > 8CVI / 8DI)	-	-	-	-
7	8CVI088S1HCS0.00-1	ACPm65 VWRM 8,8A HV CS SinCos	Rev. C0	Rev. H0	- <sup>1</sup>	- <sup>1</sup>
8	8CVI088H1HCS0.00-1	ACPm65 VWRM 8,8A HV CS Hiperface	Rev. C0	Rev. H0	- <sup>1</sup>	- <sup>1</sup>
9	8CVI088E1HCS0.00-1	ACPm65 VWRM 8,8A HV CS EnDat 2.1	Rev. C0	Rev. H0	- <sup>1</sup>	- <sup>1</sup>
10	8CVI155S1HCS0.01-1	ACPremote VWRM int.CP 15,5A HV CS SinCos	Rev. B0	Rev. C0	- <sup>1</sup>	- <sup>1</sup>

**Table 2: Device Overview**

\* Wildcard XXXX in product types 8CCHXXXX.11110-0 and 8CCHXXXX.11120-0 represents the respective cable length. It is limited to 30m.

Documentation			
MAACPMDE-GER	Distributed Drive Systems user's manual – German	Version 0.10	Version 1.10
MAACPMDE-ENG	Distributed Drive Systems user's manual – English	Version 0.10	Version 1.10

**Table 3: Manual**

## 3 Release

	Manufacturer	Test Institute	Certifier
Signatures			
Date		14.03.2022	

<sup>1</sup> Not safety relevant